

MR-PRESSO test for perturbational phenotyping of human blood and immune cells				
Id exposure	Exposure	Outcome	MR-PRESSO global test	
			RSSobs	p-value
GCST90257044	Eosinophil perturbation response (side scatter median of eosinophil 1 at baseline measured by WDF dye)	CD33 on CD33br HLA DR+ CD14dim	6,554688	0,97
GCST90257083	Neutrophil perturbation response (neutrophil 2/neutrophil 4 ratio in response to water perturbation measured by WDF dye)	Mo MDSC AC	6,846769	0,811
GCST90257083	Neutrophil perturbation response (neutrophil 2/neutrophil 4 ratio in response to water perturbation measured by WDF dye)	HLA DR on CD14+ CD16- monocyte	12,11271	0,459
GCST90257083	Neutrophil perturbation response (neutrophil 2/neutrophil 4 ratio in response to water perturbation measured by WDF dye)	HLA DR on CD14+ monocyte	12,32203	0,461
GCST90257089	Platelet perturbation response (side scatter standard deviation of platelet in response to captopril perturbation measured by WNR dye)	Sw mem %B cell	6,434083	0,709
GCST90257089	Platelet perturbation response (side scatter standard deviation of platelet in response to captopril perturbation measured by WNR dye)	Secreting Treg %CD4	18,45643	0,084
GCST90257089	Platelet perturbation response (side scatter standard deviation of platelet in response to captopril perturbation measured by WNR dye)	CD25++ CD8br %T cell	8,087824	0,586
GCST90257089	Platelet perturbation response (side scatter standard deviation of platelet in response to captopril perturbation measured by WNR dye)	CD28+ CD45RA- CD8br %CD8br	11,55522	0,303